



INTRAMEDULLARY NAILING SYSTEM





About us

***Accuro Healthcare Pvt. Ltd.** was incorporated in Ahmedabad, India. Today, we are recognized as one of the country's leading medical implant companies. Throughout our journey, we have learned that a combination of product quality and service excellence is essential to achieving our goals and earning the trust of our customers. Since then, the strong, trust-based relationships we continuously strive to build have helped strengthen our presence in the international market.*

***Accuro Healthcare Pvt. Ltd.** is an integrated, research-driven orthopedic implants and instruments manufacturer, offering a wide range of high-quality and affordable generic orthopedic solutions trusted by healthcare professionals and patients across the globe. We are committed to delivering both established and innovative orthopedic products that consistently exceed our customers' expectations for quality, safety, and reliability.*

We manufacture a complete range of Trauma Implants, Spine Implants, Cervical Implants, Intramedullary Nail Systems, Special Locking Plates, External Fixators, and other orthopedic implants.

We manufacture our implants using high-quality raw materials such as Stainless Steel and Titanium, in full compliance with international standards. All products are manufactured in-house using state-of-the-art infrastructure and advanced CNC technology, ensuring precision, consistency, and superior quality.

***Caution :** We request the surgeon/user to verify the suitability of the product in all respects, before usage. Our liability is restricted and we assure for our product and is manufactured as per accepted standards for dimensions and quality of raw material.*



Femoral Proximal Interlocking Nail (PFN - II)



Ø 9.0mm (130°)

Length	Stainless Steel	Titanium
170 mm	591.170	715.170
200 mm	595.200	719.200
240 mm	615.240	723.240

Ø 10.0mm (130°)

Length	Stainless Steel	Titanium
170 mm	592.170	716.170
200 mm	596.200	720.200
240 mm	616.240	724.240

Ø 11.0mm (130°)

Length	Stainless Steel	Titanium
170 mm	593.170	717.170
200 mm	597.200	721.200
240 mm	617.240	725.240

Ø 12.0mm (130°)

Length	Stainless Steel	Titanium
170 mm	594.170	718.170
200 mm	598.200	722.200
240 mm	618.240	726.240

Ø 9.0mm (Left Long) 130°

Length	Stainless Steel	Titanium
320 mm	583.320	699.320
340 mm	583.340	699.340
360 mm	583.360	699.360
380 mm	583.380	699.380
400 mm	583.400	699.400
420 mm	583.420	699.420

Ø 10.0mm (Left Long) 130°

Length	Stainless Steel	Titanium
320 mm	584.320	701.320
340 mm	584.340	701.340
360 mm	584.360	701.360
380 mm	584.380	701.380
400 mm	584.400	701.400
420 mm	584.420	701.420

Ø 11.0mm (Left Long) 130°

Length	Stainless Steel	Titanium
320 mm	585.320	703.320
340 mm	585.340	703.340
360 mm	585.360	703.360
380 mm	585.380	703.380
400 mm	585.400	703.400
420 mm	585.420	703.420

Ø 12.0mm (Left Long) 130°

Length	Stainless Steel	Titanium
320 mm	586.320	705.320
340 mm	586.340	705.340
360 mm	586.360	705.360
380 mm	586.380	705.380
400 mm	586.400	705.400
420 mm	586.420	705.420

Ø 9.0mm (Right Long) 130°

Length	Stainless Steel	Titanium
320 mm	585.320	707.320
340 mm	585.340	707.340
360 mm	585.360	707.360
380 mm	585.380	707.380
400 mm	585.400	707.400
420 mm	585.420	707.420

Ø 10.0mm (Right Long) 130°

Length	Stainless Steel	Titanium
320 mm	588.320	709.320
340 mm	588.340	709.340
360 mm	588.360	709.360
380 mm	588.380	709.380
400 mm	588.400	709.400
420 mm	588.420	709.420

Ø 11.0mm (Right Long) 130°

Length	Stainless Steel	Titanium
320 mm	589.320	711.320
340 mm	589.340	711.340
360 mm	589.360	711.360
380 mm	589.380	711.380
400 mm	589.400	711.400
420 mm	589.420	711.420

Ø 12.0mm (Right Long) 130°

Length	Stainless Steel	Titanium
320 mm	590.320	713.320
340 mm	590.340	713.340
360 mm	590.360	713.360
380 mm	590.380	713.380
400 mm	590.400	713.400
420 mm	590.420	713.420

Femoral Proximal Interlocking Nail (PFN & TFN)



Ø 9.0mm (130°)

	Stainless Steel	Titanium
Length		
180 mm	568.180	690.180
250 mm	559.250	642.250

Ø 10.0mm (130°)

	Stainless Steel	Titanium
Length		
180 mm	570.180	691.180
250 mm	561.250	644.250

Ø 11.0mm (130°)

	Stainless Steel	Titanium
Length		
180 mm	572.180	692.180
250 mm	563.250	646.250

Ø 12.0mm (130°)

	Stainless Steel	Titanium
Length		
180 mm	574.180	693.180
250 mm	565.250	648.250

Ø 9.0mm (135°)

	Stainless Steel	Titanium
Length		
180 mm	576.180	694.180
250 mm	554.250	630.250

Ø 10.0mm (135°)

	Stainless Steel	Titanium
Length		
180 mm	578.180	695.180
250 mm	555.250	632.250

Ø 11.0mm (135°)

	Stainless Steel	Titanium
Length		
180 mm	580.180	696.180
250 mm	556.250	634.250

Ø 12.0mm (135°)

	Stainless Steel	Titanium
Length		
180 mm	582.180	697.180
250 mm	557.250	636.250

Ø 9.0mm (Left Long) 135°

	Stainless Steel	Titanium
Length		
340 mm	550.340	674.340
360 mm	550.360	674.360
380 mm	550.380	674.380
400 mm	550.400	674.400
420 mm	550.420	674.420
440 mm	550.440	674.440

Ø 11.0mm (Left Long) 135°

	Stainless Steel	Titanium
Length		
340 mm	550.340	678.340
360 mm	550.360	678.360
380 mm	550.380	678.380
400 mm	550.400	678.400
420 mm	550.420	678.420
440 mm	550.440	678.440

Ø 9.0mm (Right Long) 135°

	Stainless Steel	Titanium
Length		
340 mm	552.340	682.340
360 mm	552.360	682.360
380 mm	552.380	682.380
400 mm	552.400	682.400
420 mm	552.420	682.420
440 mm	552.440	682.440

Ø 11.0mm (Right Long) 135°

	Stainless Steel	Titanium
Length		
340 mm	552.340	686.340
360 mm	552.360	686.360
380 mm	552.380	686.380
400 mm	552.400	686.400
420 mm	552.420	686.420
440 mm	552.440	686.440

Ø 10.0mm (Left Long) 135°

	Stainless Steel	Titanium
Length		
340 mm	550.340	676.340
360 mm	550.360	676.360
380 mm	550.380	676.380
400 mm	550.400	676.400
420 mm	550.420	676.420
440 mm	550.440	676.440

Ø 12.0mm (Left Long) 135°

	Stainless Steel	Titanium
Length		
340 mm	550.340	680.340
360 mm	550.360	680.360
380 mm	550.380	680.380
400 mm	550.400	680.400
420 mm	550.420	680.420
440 mm	550.440	680.440

Ø 10.0mm (Right Long) 135°

	Stainless Steel	Titanium
Length		
340 mm	552.340	684.340
360 mm	552.360	684.360
380 mm	552.380	684.380
400 mm	552.400	684.400
420 mm	552.420	684.420
440 mm	552.440	684.440

Ø 12.0mm (Right Long) 135°

	Stainless Steel	Titanium
Length		
340 mm	552.340	688.340
360 mm	552.360	688.360
380 mm	552.380	688.380
400 mm	552.400	688.400
420 mm	552.420	688.420
440 mm	552.440	688.440

Upper Bend Tibia Nail (Crimped)



Ø 8.0mm

	Stainless Steel	Titanium
Length		
280 mm	420.280	608.280
300 mm	420.300	608.300
320 mm	420.320	608.320
340 mm	420.340	608.340
360 mm	420.360	608.360
380 mm	420.380	608.380

Ø 9.0mm

	Stainless Steel	Titanium
Length		
280 mm	422.280	610.280
300 mm	422.300	610.300
320 mm	422.320	610.320
340 mm	422.340	610.340
360 mm	422.360	610.360
380 mm	420.380	610.380

Ø 10.0mm

	Stainless Steel	Titanium
Length		
280 mm	424.280	612.280
300 mm	424.300	612.300
320 mm	424.320	612.320
340 mm	424.340	612.340
360 mm	424.360	612.360
380 mm	424.380	612.380

Ø 11.0mm

	Stainless Steel	Titanium
Length		
280 mm	425.280	613.280
300 mm	425.300	613.300
320 mm	425.320	613.320
340 mm	425.340	613.340
360 mm	425.360	613.360
380 mm	425.380	613.380

Femoral Interlocking Nail (Crimped)



Ø 9.0mm

	Stainless Steel	Titanium
Length		
340 mm	426.340	614.340
360 mm	426.360	614.360
380 mm	426.380	614.380
400 mm	426.400	614.400
420 mm	426.420	614.420
440 mm	426.440	614.440

Ø 10.0mm

	Stainless Steel	Titanium
Length		
340 mm	428.340	616.340
360 mm	428.360	616.360
380 mm	428.380	616.380
400 mm	428.400	616.400
420 mm	428.420	616.420
440 mm	428.440	616.440

Ø 11.0mm

	Stainless Steel	Titanium
Length		
340 mm	430.340	618.340
360 mm	430.360	618.360
380 mm	430.380	618.380
400 mm	430.400	618.400
420 mm	430.420	618.420
440 mm	430.440	618.440

Ø 12.0mm

	Stainless Steel	Titanium
Length		
340 mm	431.340	620.340
360 mm	431.360	620.360
380 mm	431.380	620.380
400 mm	431.400	620.400
420 mm	431.420	620.420
440 mm	431.440	620.440

Expert Tibia Nail



Ø 8.0mm

Length	Stainless Steel	Titanium
280 mm	441.280	652.280
300 mm	441.300	652.300
320 mm	441.320	652.320
340 mm	441.340	652.340
360 mm	441.360	652.360
380 mm	441.380	652.380

Ø 9.0mm

Length	Stainless Steel	Titanium
280 mm	443.280	654.280
300 mm	443.300	654.300
320 mm	443.320	654.320
340 mm	443.340	654.340
360 mm	443.360	654.360
380 mm	443.380	654.380

Ø 10.0mm

Length	Stainless Steel	Titanium
280 mm	445.280	656.280
300 mm	445.300	656.300
320 mm	445.320	656.320
340 mm	445.340	656.340
360 mm	445.360	656.360
380 mm	445.380	656.380

Ø 11.0mm

Length	Stainless Steel	Titanium
280 mm	447.280	658.280
300 mm	447.300	658.300
320 mm	447.320	658.320
340 mm	447.340	658.340
360 mm	447.360	658.360
380 mm	447.380	658.380

Sirus Femoral Nail



Ø 9.0mm (Left)

Length	Stainless Steel	Titanium
340 mm	491.340	1098.340
360 mm	491.360	1098.360
380 mm	491.380	1098.380
400 mm	491.400	1098.400
420 mm	491.420	1098.420
440 mm	491.440	1098.440

Ø 10.0mm (Left)

Length	Stainless Steel	Titanium
340 mm	493.340	2000.340
360 mm	493.360	2000.360
380 mm	493.380	2000.380
400 mm	493.400	2000.400
420 mm	493.420	2000.420
440 mm	493.440	2000.440

Ø 11.0mm (Left)

Length	Stainless Steel	Titanium
340 mm	495.340	2002.340
360 mm	495.360	2002.360
380 mm	495.380	2002.380
400 mm	495.400	2002.400
420 mm	495.420	2002.420
440 mm	495.440	2002.440

Ø 12.0mm (Left)

Length	Stainless Steel	Titanium
340 mm	497.340	2004.340
360 mm	497.360	2004.360
380 mm	497.380	2004.380
400 mm	497.400	2004.400
420 mm	497.420	2004.420
440 mm	497.440	2004.440

Ø 9.0mm (Right)

Length	Stainless Steel	Titanium
340 mm	499.340	2006.340
360 mm	499.360	2006.360
380 mm	499.380	2006.380
400 mm	499.400	2006.400
420 mm	499.420	2006.420
440 mm	499.440	2006.440

Ø 10.0mm (Right)

Length	Stainless Steel	Titanium
340 mm	501.340	2008.340
360 mm	501.360	2008.360
380 mm	501.380	2008.380
400 mm	501.400	2008.400
420 mm	501.420	2008.420
440 mm	501.440	2008.440

Ø 11.0mm (Right)

Length	Stainless Steel	Titanium
340 mm	503.340	2010.340
360 mm	503.360	2010.360
380 mm	503.380	2010.380
400 mm	503.400	2010.400
420 mm	503.420	2010.420
440 mm	503.440	2010.440

Ø 12.0mm (Right)

Length	Stainless Steel	Titanium
340 mm	505.340	2012.340
360 mm	505.360	2012.360
380 mm	505.380	2012.380
400 mm	505.400	2012.400
420 mm	505.420	2012.420
440 mm	505.440	2012.440

Supra Condylar (IMSC) Nail



Ø 9.0mm

	Stainless Steel	Titanium
Length		
150 mm	449.150	660.150
200 mm	449.200	660.200
250 mm	449.250	660.250
300 mm	449.300	660.300
350 mm	449.350	660.350

Ø 10.0mm

	Stainless Steel	Titanium
Length		
150 mm	451.150	662.150
200 mm	451.200	662.200
250 mm	451.250	662.250
300 mm	451.300	662.300
350 mm	451.350	662.350

Ø 11.0mm

	Stainless Steel	Titanium
Length		
150 mm	453.150	664.150
200 mm	453.200	664.200
250 mm	453.250	664.250
300 mm	453.300	664.300
350 mm	453.350	664.350

Ø 12.0mm

	Stainless Steel	Titanium
Length		
150 mm	455.150	666.150
200 mm	455.200	666.200
250 mm	455.250	666.250
300 mm	455.300	666.300
350 mm	455.350	666.350

Humeral Nail



Ø 7.0mm (Cannulated)

	Stainless Steel	Titanium
Length		
205mm	438.205	670.205
220mm	438.220	670.220
230mm	438.230	670.230
240mm	438.240	670.240
250mm	438.250	670.250
260mm	438.260	670.260
270mm	438.270	670.270
280mm	438.280	670.280
295mm	438.295	670.295
310mm	438.310	670.310

Ø 8.0mm (Cannulated)

	Stainless Steel	Titanium
Length		
205mm	440.205	672.205
220mm	440.220	672.220
230mm	440.230	672.230
240mm	440.240	672.240
250mm	440.250	672.250
260mm	440.260	672.260
270mm	440.270	672.270
280mm	440.280	672.280
295mm	440.290	672.295
310mm	440.310	672.310

Ø 6.0mm (Solid)

	Stainless Steel	Titanium
Length		
205mm	436.205	668.205
220mm	436.220	668.220
230mm	436.230	668.230
240mm	436.240	668.240
250mm	436.250	668.250
260mm	436.260	668.260
270mm	436.270	668.270
280mm	436.280	668.280
295mm	436.295	668.295
310mm	436.310	668.310

Ø 6.7mm (Solid)

	Stainless Steel	Titanium
Length		
205mm	430.205	622.205
220mm	430.220	622.220
230mm	430.230	622.230
240mm	430.240	622.240
250mm	430.250	622.250
260mm	430.260	622.260
270mm	430.270	622.270
280mm	430.280	622.280
295mm	430.295	622.295
310mm	431.310	622.310

Ø 7.5mm (Solid)

	Stainless Steel	Titanium
Length		
205mm	434.205	624.205
220mm	434.220	624.220
230mm	434.230	624.230
240mm	434.240	624.240
250mm	434.250	624.250
260mm	434.260	624.260
270mm	434.270	624.270
280mm	434.280	624.280
295mm	434.290	624.295
310mm	434.310	624.310

Flexible Nail



	Dia	Titanium
Length		
440mm	Ø 2.0	606.020
440mm	Ø 2.5	606.025
440mm	Ø 3.0	606.030
440mm	Ø 3.5	606.035
440mm	Ø 4.0	606.040
440mm	Ø 4.5	606.045

Enders Nail



Ø 3.0mm		Ø 3.5mm	
Stainless Steel		Stainless Steel	
Length		Length	
200mm	309.200	200mm	400.200
210mm	309.210	210mm	400.210
220mm	309.220	220mm	400.220
230mm	309.230	230mm	400.230
240mm	309.240	240mm	400.240
250mm	309.250	250mm	400.250
260mm	309.260	260mm	400.260
270mm	309.270	270mm	400.270
280mm	309.280	280mm	400.280
290mm	309.290	290mm	400.290
300mm	309.300	300mm	400.300

Ø 4.0mm		Ø 4.5mm	
Stainless Steel		Stainless Steel	
Length		Length	
300mm	401.300	320mm	402.320
310mm	401.310	330mm	402.330
320mm	401.320	340mm	402.340
330mm	401.330	350mm	402.350
340mm	401.340	360mm	402.360
350mm	401.350	370mm	402.370
360mm	401.360	380mm	402.380
370mm	401.370	390mm	402.390
380mm	401.380	400mm	402.400
390mm	401.390	410mm	402.410
400mm	401.400	420mm	402.420

Square Nail for Radius



Ø 2.0mm		Ø 2.5mm		Ø 3.0mm		Ø 3.5mm	
Stainless Steel		Stainless Steel		Stainless Steel		Stainless Steel	
Length		Length		Length		Length	
200mm	403.200	200mm	404.200	200mm	405.200	200mm	406.200
210mm	403.210	210mm	404.210	210mm	405.210	210mm	406.210
220mm	403.220	220mm	404.220	220mm	405.220	220mm	406.220
230mm	403.230	230mm	404.230	230mm	405.230	230mm	406.230
240mm	403.240	240mm	404.240	240mm	405.240	240mm	406.240
250mm	403.250	250mm	404.250	250mm	405.250	250mm	406.250
260mm	403.260	260mm	404.260	260mm	405.260	260mm	406.260
270mm	403.270	270mm	404.270	270mm	405.270	270mm	406.270
280mm	403.280	280mm	404.280	280mm	405.280	280mm	406.280
290mm	403.290	290mm	404.290	290mm	405.290	290mm	406.290
300mm	403.300	300mm	404.300	300mm	405.300	300mm	406.300

Square Nail for ULNA



Ø 2.0mm		Ø 2.5mm		Ø 3.0mm		Ø 3.5mm	
Stainless Steel		Stainless Steel		Stainless Steel		Stainless Steel	
Length		Length		Length		Length	
200mm	407.200	200mm	408.200	200mm	409.200	200mm	410.200
210mm	407.210	210mm	408.210	210mm	409.210	210mm	410.210
220mm	407.220	220mm	408.220	220mm	409.220	220mm	410.220
230mm	407.230	230mm	408.230	230mm	409.230	230mm	410.230
240mm	407.240	240mm	408.240	240mm	409.240	240mm	410.240
250mm	407.250	250mm	408.250	250mm	409.250	250mm	410.250
260mm	407.260	260mm	408.260	260mm	409.260	260mm	410.260
270mm	407.270	270mm	408.270	270mm	409.270	270mm	410.270
280mm	407.280	280mm	408.280	280mm	409.280	280mm	410.280
290mm	407.290	290mm	408.290	290mm	409.290	290mm	410.290
300mm	407.300	300mm	408.300	300mm	409.300	300mm	410.300

Rush Nail



Ø 2.0mm			Ø 2.5mm		
	Stainless Steel	Titanium		Stainless Steel	Titanium
Length			Length		
200mm	411.200	650.200	200mm	412.200	651.200
210mm	411.210	650.210	210mm	412.210	651.210
220mm	411.220	650.220	220mm	412.220	651.220
230mm	411.230	650.230	230mm	412.230	651.230
240mm	411.240	650.240	240mm	412.240	651.240
250mm	411.250	650.250	250mm	412.250	651.250
260mm	411.260	650.260	260mm	412.260	651.260
270mm	411.270	650.270	270mm	412.270	651.270
280mm	411.280	650.280	280mm	412.280	651.280
290mm	411.290	650.290	290mm	412.290	651.290
300mm	411.300	650.300	300mm	412.300	651.300

Ø 3.0mm			Ø 3.5mm		
	Stainless Steel	Titanium		Stainless Steel	Titanium
Length			Length		
200mm	413.200	652.200	200mm	414.200	653.200
210mm	413.210	652.210	210mm	414.210	653.210
220mm	413.220	652.220	220mm	414.220	653.220
230mm	413.230	652.230	230mm	414.230	653.230
240mm	413.240	652.240	240mm	414.240	653.240
250mm	413.250	652.250	250mm	414.250	653.250
260mm	413.260	652.260	260mm	414.260	653.260
270mm	413.270	652.270	270mm	414.270	653.270
280mm	413.280	652.280	280mm	414.280	653.280
290mm	413.290	652.290	290mm	414.290	653.290
300mm	413.300	652.300	300mm	414.300	653.300

Leg Screw for PFN Nail, Dia 6.4mm



	Stainless Steel	Titanium
Length		
50 mm	138.050	638.050
55 mm	138.055	638.055
60 mm	138.060	638.060
65 mm	138.065	638.065
70 mm	138.070	638.070
75 mm	138.075	638.075
80 mm	138.080	638.080
85 mm	138.085	638.085
90 mm	138.090	638.090
95 mm	138.095	638.095
100 mm	138.100	638.100
105 mm	138.105	638.105
110 mm	138.110	638.110
115 mm	138.115	638.115
120 mm	138.120	638.120

Leg Screw for PFN Nail, Dia 8.0mm



	Stainless Steel	Titanium
Length		
50 mm	140.050	640.050
55 mm	140.055	640.055
60 mm	140.060	640.060
65 mm	140.065	640.065
70 mm	140.070	640.070
75 mm	140.075	640.075
80 mm	140.080	640.080
85 mm	140.085	640.085
90 mm	140.090	640.090
95 mm	140.095	640.095
100 mm	140.100	640.100
105 mm	140.105	640.105
110 mm	140.110	640.110
115 mm	140.115	640.115
120 mm	140.120	640.120

Blade For PFN - II Nail



	Stainless Steel	Titanium
Length		
60 mm	141.060	1092.060
65 mm	141.065	1092.065
70 mm	141.070	1092.070
75 mm	141.075	1092.075
80 mm	141.080	1092.080
85 mm	141.085	1092.085
90 mm	141.090	1092.090
95 mm	141.095	1092.095
100 mm	141.100	1092.100
105 mm	141.105	1092.105
110 mm	141.110	1092.110
115 mm	141.115	1092.115
120 mm	141.120	1092.120

3.4 mm Interlocking Screws



	Stainless Steel	Titanium
Length		
24 mm	116.024	625.024
26 mm	116.026	625.026
28 mm	116.028	625.028
30 mm	116.030	625.030
32 mm	116.032	625.032
34 mm	116.034	625.034
36 mm	116.036	625.036
38 mm	116.038	625.038
40 mm	116.040	625.040
42 mm	116.042	625.042
44 mm	116.044	625.044
46 mm	116.046	625.046
48 mm	116.048	625.048
50 mm	116.050	625.050

3.9 mm Interlocking Screws



	Stainless Steel	Titanium
Length		
24 mm	118.024	626.024
26 mm	118.026	626.026
28 mm	118.028	626.028
30 mm	118.030	626.030
32 mm	118.032	626.032
34 mm	118.034	626.034
36 mm	118.036	626.036
38 mm	118.038	626.038
40 mm	118.040	626.040
42 mm	118.042	626.042
44 mm	118.044	626.044
46 mm	118.046	626.046
48 mm	118.048	626.048
50 mm	118.050	626.050

4.9 mm Interlocking Screws



	Stainless Steel	Titanium		Stainless Steel	Titanium
Length			Length		
24 mm	120.024	628.024	48 mm	120.048	628.048
26 mm	120.026	628.026	50 mm	120.050	628.050
28 mm	120.028	628.028	52 mm	120.052	628.052
30 mm	120.030	628.030	54 mm	120.054	628.054
32 mm	120.032	628.032	56 mm	120.056	628.056
34 mm	120.034	628.034	58 mm	120.058	628.058
36 mm	120.036	628.036	60 mm	120.060	628.060
38 mm	120.038	628.038	62 mm	120.062	628.062
40 mm	120.040	628.040	64 mm	120.064	628.064
42 mm	120.042	628.042	66 mm	120.066	628.066
44 mm	120.044	628.044	68 mm	120.068	628.068
46 mm	120.046	628.046	70 mm	120.070	628.070



(AN ISO 9001:2008 CERTIFIED COMPANY)

Fact : Plot no. B/37, Satva Industrial Estate, Kuha Village, Indore highway,
Daskroi,
Ahmedabad- 382433, Ahmedabad, Gujarat (India) - 382433,
Ahmedabad, Gujarat (India) - 382433
E-mail : accurohealthcare@gmail.com, socialaccuro@gmail.com
Visit us : <https://accurohealthcare.in/> • **Mobile :** +91-9960696990

* Designs and Specifications are subject to be changed without notice.

* Product shown in the catalogue may differ from actual products.

* Accuro Healthcare is not responsible for differences between the information in the catalogue and the actual implants.